

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office SEP 15 1980

Returned to applicant for correction

Corrected application filed

Map filed SEP 15 1980

The applicant Marie P. York

2451 Rice Road, of Fallon, Nevada 89406  
Street and No. or P.O. Box No. City or Town

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) N/A

1. The source of the proposed appropriation is Underground  
Name of stream, lake or other source.

2. The amount of water applied for is 25 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Quasi-Municipal  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered) X

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed N/A

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: In the NE 1/4 - NE 1/4 of Sec.

26, T. 19N, R28E MDB&M From a point that bears S 36°27' 03" W a  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
distance of 78.67 feet from the S.W. corner of the NE 1/4 - NE 1/4  
It should be stated. Sec. 26, T19N, R28E MDB&M

6. Place of use Same as (5 above)  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

See Attached Exhibit "A"

Total Area equals 55.0 Acres (Plus or Minus)

7. Use will begin about Jan. 1st and end about Dec. 31st, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well, Pipes, Pump.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works \$3,500.00
- 10. Estimated time required to construct works One Year
- 11. Estimated time required to complete the application to beneficial use One Year
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

I would like to add more trailer spaces, too -- (Say 25).

I have 3 "shallow" wells (35') on property. All have sodium bicarbonate which leaves air conditioners (evaporative) with a white

powdery filling, although water meets drinking standards & tastes good. A deep well would clear up the above problem, they say. This is the 2nd

Applicant Marie P. York application I've filled out. The first I gave to the Fallon surveyor right after

Mr. Westergard left and the new By s/ Lowell Emery By Lowell Emery  
man took over. 2451 Rice Road

Compared sg/ha gk/bc Fallon, NV 89406

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

No perforations are to be placed in the top 100 feet of well casing.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.25 cubic feet per second, but not to exceed 2.7375 million gallons annually.

- Actual construction work shall begin on or before November 15, 1981
- Proof of commencement of work shall be filed before December 15, 1981
- Work must be prosecuted with reasonable diligence and be completed on or before November 15, 1982
- Proof of completion of work shall be filed before December 15, 1982
- Application of water to beneficial use shall be made on or before November 15, 1985
- Proof of the application of water to beneficial use shall be filed on or before December 15, 1985
- Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed DEC 20 1982  
Completion of work filed  
Proof of beneficial use filed MAY 6 1986  
Cultural map filed  
Certificate No. 11808 Issued APR 6 1987

IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN  
State Engineer of Nevada, have hereunto set my hand and the seal of  
my office, this 15th day of MAY  
A.D. 19 81  
William J. Newman  
State Engineer


## MARIE YORK PARCEL

## EXHIBIT "A"

A parcel of land located in the  $N\frac{1}{2}$  of  $NE\frac{1}{4}$ , Section 26, Township 19 North, Range 28 East, MDB&M, bounded and described as follows:

Commencing at the SE corner of the  $NW\frac{1}{4}$  of  $NE\frac{1}{4}$ , Section 26, Township 19 North, Range 28 East, MDB&M, the true point of beginning; thence around the parcel as follows:

S  $89^{\circ} 21'$  W along the South line of said  $N\frac{1}{2}$  a distance of 573.85 feet; thence N  $00^{\circ} 09'$  E a distance of 932.18 feet; thence S  $89^{\circ} 22'$  E a distance of 109.13 feet; thence N  $56^{\circ} 27'$  E a distance of 200.00 feet; thence N  $29^{\circ} 51'$  E a distance of 185.14 feet; thence N  $36^{\circ} 46'$  E a distance of 160.48 feet to the North line of said  $N\frac{1}{2}$ ; thence N  $89^{\circ} 21'$  E a distance of 107.09 feet to the NE corner of the  $NW\frac{1}{4}$  of  $NE\frac{1}{4}$  of said Section 26; thence N  $89^{\circ} 21'$  E a distance of 1336.16 feet to the NE corner of said Section 26; thence S  $00^{\circ} 10'$  W a distance of 1319.72 feet to the SE corner of said  $N\frac{1}{2}$ ; thence S  $89^{\circ} 21'$  W a distance of 1336.21 feet to the true point of beginning, containing 55 acres, more or less.



1930 SEP 12 AM 1 21

STATE ENGINEER  
OFFICE

